

GENERAL DOORS  
*Corporation*



**Newport200** series  
RAISED PANEL

**“Highly energy efficient R-Value of 18”**

## Newport 200 Insulated Steel Garage Doors

The Newport 200 offers homeowners, as well as home builders, the classic look of raised panel doors, one of the industry’s highest insulation values, and the strength and practicality of pre-finished steel. This is a premium, highly energy efficient door featuring a calculated insulation value of R-18.

- Sandwich-type construction with 2” polyurethane insulation, pressure bonded between two skins of 26 gauge (.017) G60 steel
- Steel is rust-proofed with hot-dipped galvanizing, pre-painted on both sides with a primer, and finished with a top coat of baked on polyester for an exterior paint thickness of 1.0 mil
- Three layer construction provides a calculated insulation value of R-18, along with exceptional strength and a substantial, solid feel during operation
- Finely detailed raised panels with a deep woodgrain texture
- Panel options include Short Raised Panel, Long Raised Panel, and Flush Panel
- Tongue and Groove section joint with bulb seal
- Thermal break between steel skins
- 12 factory finish colors to choose from, including three wood look finishes

### Sizes

**Standard widths:**

**8’, 9’, 10’, 12’, 16’ and 18’**

**Special order widths are available in 1” increments up to 20’**

**Standard heights:**

**6’6”, 7’, 7’6”, and 8’**

**7’6” & 8’ tall doors are available as either 4 or 5 sections high**

### Number of Panels Across

<b>Width</b>	<b>Short Panel/Long Panel</b>	
<b>8’ &amp; 9’ wide</b>	<b>4</b>	<b>2</b>
<b>10’ wide</b>	<b>5</b>	<b>2</b>
<b>12’ wide</b>	<b>6</b>	<b>3</b>
<b>16’ &amp; 18’ wide</b>	<b>8</b>	<b>4</b>


## Panel Options



**Long Raised Panel**  
shown with 798 Colonial LP  
10 Lite Inserts in Desert Tan



**Short Raised Panel**  
shown with 305  
Sunburst SP Inserts  
in Almond




**Flush Panel**  
shown in Bronze

# Personalize the look of your Newport door by adding a custom window design

## Window Options/*snap-in Inserts*

Glazing options include single or double glazed in clear, obscure, or frosted glass.



Short Panel Clear



Long Panel Clear



397 Colonial SP



798 Colonial LP - 10 Lite



320 Waterton SP



320 Waterton LP



897 Prairie SP



897 Prairie LP



305 Sunburst SP



305 Sunburst LP



591 Cascade SP - 4 Lite



591 Cascade LP



393 Cathedral SP



587 Wyndbridge LP



306 Sherwood SP



588 Wyndbridge Arch LP



488 Somerton LP - 10 Lite

### Oversized Window Options/*one-piece injection molded frames*

Optional oversized windows offer a distinctive enhancement to the Newport Door. They are available in clear or obscure insulated glass--\*\*Doors in Medium/Light Oak colors with these window options will be Single Direction

Square Clear

Square 4 Pane

Square 4 over 4 Pane

One Piece Arch Clear

One Piece Arch 4 Pane

One Piece Arch 4 over 4 Pane

Two Piece Arch Clear

Two Piece Arch 4 Pane

Two Piece Arch 4 over 4 Pane

### WROUGHT IRON LOOK



Square Wrought Iron



One Piece Arch Wrought Iron



Two Piece Arch Wrought Iron



405 Single Sunburst LP



405 Single Sunburst SP



588 & 587 Breckenridge LP



488 & 798 Berkshire LP

## Color Options



White



Almond




Brown




Sandtone




Desert Tan




Gray



Black



Bronze




Cafe


### Wood Look Colors

Single Direction


Dual Direction




Walnut



Driftwood



Medium Oak




Light Oak

## Section joint detail

### Modified tongue and groove joint-

Placed closer to the exterior of the door to limit air and water infiltration

Bulb seal-prevents air leaks



Continuous polyurethane insulated core of high density foam resulting in a R-Value of 18

Continuous full width horizontal steel reinforcing strip for hinge attachment

Thermal break-prevents heat transfer

**Standard features** of the Newport Series includes our tough, anti-corrosion protection - inside and out. Hardware includes heavy-duty track with a unique elliptical curve that reduces the force necessary to roll the door along the track, making opening and closing easier and smoother. Full leaf, heavy gauge hinges, and nylon rollers with steel bearings offer superior strength and years of trouble-free operation.



**High-strength, rust-resistant, pre-painted galvanized steel sheets-**

Available in a variety of colors to match the beauty of your home

**Galvanized steel endcaps-**

Heavy duty for additional strength

**Deep woodgrain embossing-**

The durability of steel without the maintenance hassle of wood

**Flexible 3" vinyl bottom seal-**

With a rust-resistant aluminum retainer

**Newport 200** in Short Raised Panel with 591 Cascade LP inserts



Lifetime limited warranty against rust-through and/or delamination of door face. Three year hardware warranty. See dealer for complete warranty information.

### Green Building Benefits

Energy savings from insulation value, local manufacturing, recycled content, and product longevity.

Your Local Authorized General Doors Distributor:

**GENERAL DOORS**  
*Corporation*

1 Monroe Street  
PO Box 205 Bristol, PA 19007-0205  
215.788.9277 Fax: 215.788.9450  
general-doors.com  
sales@general-doors.com

