

GENERAL DOORS
Corporation



Newport138 series
RAISED PANEL

"Highly energy efficient R-Value of 12"

Newport 138 Insulated Steel Garage Doors

The Newport 138 offers homeowners, as well as home builders, the classic look of raised panel doors with the strength and practicality of pre-finished steel. This is a premium, highly energy efficient door featuring a calculated insulation value of R-12.

- Sandwich-type construction with 1-3/8" polyurethane insulation, pressure bonded between two skins of 26 gauge (.017) G60 steel
- Steel is rust-proofed with hot-dipped galvanizing, pre-painted on both sides with a primer, and finished with a top coat of baked on polyester for an exterior paint thickness of 1.0 mil
- Three layer construction provides a calculated insulation value of R-12, along with exceptional strength and a substantial, solid feel during operation
- Finely detailed raised panels with a deep woodgrain texture
- Panel options include Short Raised Panel, Long Raised Panel, and Flush Panel
- Tongue and Groove section joint with bulb seal
- Thermal break between steel skins
- 9 factory finish colors to choose from

Sizes

Standard widths:

8', 9', 10', 12', 16' and 18'

Special order widths are available in 1" increments

Standard heights:

6'6", 7', 7'6", and 8'

7'6" & 8' tall doors are available as either 4 or 5 sections high

Number of Panels Across

Width	Short Panel/Long Panel	
8' & 9' wide	4	2
10' wide	5	2
12' wide	6	3
16' & 18' wide	8	4

Panel Options




Long Raised Panel
shown with 488 Somerton LP - 10 Lite Inserts in Gray



Short Raised Panel
shown with 397 Colonial SP Inserts in Sandtone

Flush Panel
in Cafe



Personalize the look of your Newport door by adding a custom window design

Window Options/*snap-in Inserts*

Glazing options include single or double glazed in clear, obscure, or frosted glass.



Short Panel Clear



Long Panel Clear



397 Colonial SP



798 Colonial LP - 10 Lite



320 Waterton SP



320 Waterton LP



897 Prairie SP



897 Prairie LP



305 Sunburst SP



305 Sunburst LP



591 Cascade SP - 4 Lite



591 Cascade LP



393 Cathedral SP



587 Wyndbridge LP



306 Sherwood SP



588 Wyndbridge Arch LP



488 Somerton LP - 10 Lite



405 Single Sunburst LP



405 Single Sunburst SP



588 & 587 Breckenridge LP



488 & 798 Berkshire LP



Window inserts are easily removed for complete cleaning of window glass

Color Options



White



Almond




Brown



Sandtone




Desert Tan




Gray



Black



Bronze




Cafe

Section joint detail

Modified tongue and groove joint-

Placed closer to the exterior of the door to limit air and water infiltration



Standard features of the Newport Series includes our tough, anti-corrosion protection - inside and out. Hardware includes heavy-duty track with a unique elliptical curve that reduces the force necessary to roll the door along the track, making opening and closing easier and smoother. Full leaf, heavy gauge hinges, and nylon rollers with steel bearings offer superior strength and years of trouble-free operation.



High-strength, rust-resistant, pre-painted galvanized steel sheets-

Available in a variety of colors to match the beauty of your home

Galvanized steel endcaps-

Heavy duty for additional strength

Deep woodgrain embossing-

The durability of steel without the maintenance hassle of wood

Flexible 3" vinyl bottom seal-

With a rust-resistant aluminum retainer

Newport 138 in Short Raised Panel with 587 Wyndbridge LP inserts



Lifetime limited warranty against rust-through and/or delamination of door face. Three year hardware warranty. See dealer for complete warranty information.

Green Building Benefits

Energy savings from insulation value, local manufacturing, recycled content, and product longevity.

Your Local Authorized General Doors Distributor:

GENERAL DOORS
Corporation

1 Monroe Street
PO Box 205 Bristol, PA 19007-0205
215.788.9277 Fax: 215.788.9450
general-doors.com
sales@general-doors.com

